



GUANGZHOU WAY-C TRADING CO.,LTD  
waycmoto.com



## Rubber Tubeless Tyre Tire For Motorcycle Moto 100/90-17

Our Product Introduction

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: WAY-C
- Model Number: 100/90-17
- Minimum Order Quantity: 100 pieces
- Price: 10.00/pieces 100-990 pieces
- Packaging Details: Box+CARTON
- Delivery Time: 30-45days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 10000 Piece/Pieces per Month



### Product Specification

- Model: 100/90-17
- Product Name: Tyre
- MOQ: 100PCS
- Material: Rubber
- Quality: High Quality
- Shipping: Sea Transport.Air Transport Air Express
- Port: NANSHA/HUANGPU, GUANGZHOU
- Parts NO: OEM
- Highlight: OEM Tubeless Tyre Tire,  
Tubeless Tyre Tire Motorcycle

for more products please visit us on [waycmoto.com](http://waycmoto.com)

## Product Description

### Motorcycle Moto Tubeless Tyre Tire for 100/90-17

#### Products Description

Product name	Tyre
Model	100/90-17
Materials	Rubber
Parts NO	OEM
Packing	Box
Shipping	Sea/Air
Place of origin	Guangzhou,China



Motorcycle tires are an important part of a motorcycle that is in direct contact with the ground. They play a vital role in a motorcycle's handling, traction, comfort and safety.

The construction and design of motorcycle tires usually include the following key elements:

**Tread:** The tread is the part of the tire that is in contact with the ground and is made of a rubber compound. The pattern and pattern design of the tread is critical to providing good traction, drainage and grip.

Different types of motorcycle tires may have different tread patterns to suit different road conditions and riding needs.

**Carcass:** The carcass is the main structure of the tire, which is composed of multiple layers of cord fabric and glue layers.

The structure and materials of the carcass determine the strength, stiffness and durability of the tire.

Motorcycle tires usually use a radial carcass structure, in which the ply extends radially from the center of the tire to both sides.

**Sidewalls:** The sidewalls of a tire are located on both sides of the carcass. They provide lateral support and protection for the tire. There will usually be logos and specification information on the sidewalls, such as the tire's size, load index and speed rating.



## PACKING & SHIPPING

GUANGZHOU WAY-C TRADING CO.,LTD.



5-7 working days  
WWW.TNT.COM



5-7 working days  
WWW.EMS.COM.CN



5-7 working days  
WWW.DHL.COM



5-7 working days  
WWW.UPS.COM



5-7 working days  
WWW.FEDEX.COM



## Why Choose Us

### OUR ADVANTAGES

GUANGZHOU WAY-C TRADING CO.,LTD.

## Why choose us?

- ◆ 1. High quality: Using high quality material and establishing a strict quality control system, assigning specific persons in charge of each part of production, from raw material purchase to assembly.
- ◆ 2. Professional models for motorcycle parts and three wheeler parts, we have one group to focus on the new models parts, so welcome to OEM and ODM orders
- ◆ 3. Fast dispatch: Most of the products are in stock. Quality below 100pcs can be delivered within 15 days.
- ◆ 4. Small order accepted: Low MOQ accepted. 50pcs are available.





**GUANGZHOU WAY-C TRADING CO.,LTD**



+86 18561893286



522509400@qq.com



waycmoto.com

NO.356 Baiyun Motorcycle Parts Market, Zengcha Road, Baiyun District,Guangzhou