

Trailer Motor Motorcycle TAXI Tricycle Automobile Wheel Bearing 6205

Basic Information

. Place of Origin: Guangdong, China

. Brand Name: WAY-C 6205 Model Number: Minimum Order Quantity: 200 pieces

• Price: \$1.00/pieces 100-990 pieces

Box+CARTON Packaging Details: . Delivery Time: 30-45days

Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

. Supply Ability: 20000 Piece/Pieces per Month



Product Specification

Model: 6205 • Product Name: Bearing 200PCS MOQ: Metal Material: • Quality: High Quality

Sea Transport.Air Transport Air Express • Shipping: • Port: NANSHA/HUANGPU, GUANGZHOU

• Parts NO: OEM

• Highlight: TAXI Automobile Wheel Bearing,

Tricycle Automobile Wheel Bearing, Metal Motorcycle Wheel Bearing

Product Description

Trailer Motor Motorcycle TAXI Tricycle Automobile Wheel Bearing 6205

Products Description

Product name	Bearing
Model	6205
Materials	Metal
Parts NO	OEM
Packing	Вох
Shipping	Sea/Air
Place of origin	Guangzhou,China





A bearing is a mechanical component that supports the rotation or movement of another part while reducing friction. It is commonly used to enable smooth and efficient motion in various applications, including machinery, vehicles, and industrial equipment.

Bearings typically consist of several key components:

Outer Ring: The outer ring is the stationary component of the bearing and provides support and structural integrity.

Inner Ring: The inner ring is the rotating component of the bearing and is mounted on the shaft or spindle that requires rotational movement.

Rolling Elements: The rolling elements are the individual balls, cylindrical rollers, tapered rollers, or needle rollers that transmit the load and allow for smooth rotation between the inner and outer rings.

Cage or Retainer: The cage or retainer holds the rolling elements in position, maintaining their proper spacing and preventing them from coming into contact with each other.

Lubrication: Bearings often require lubrication to reduce friction and wear. Lubricants such as grease or oil are used to create a thin film between the rolling elements and the raceways, ensuring smooth rotation and minimizing heat generation.

Bearings are available in various types, including ball bearings, roller bearings, thrust bearings, and plain bearings. The choice of bearing type depends on the specific application, load requirements, speed, and environmental conditions.



PACKING & SHIPPING

GUANGZHOU WAY-C TRADING CO.,LTD.











5-7 working days www.tnt.com 5-7 working days WWW.EMS.COM.CN 5-7 working days WWW.DHLCOM 5-7 working days www.ups.com 5-7 working days



Why Choose Us

OUR ADVANTAGES

GUANGZHOU WAY-C TRADING CO.,LTD.

Why choose us?

- 1. High quality: Using high quality material and establishing a strict quality control system, assigning specific persons in charge of each part of production, from raw material purchase to assembly.
- 2. Professional models for motorcyle parts and three wheeler parts, we have one group to focus on the new models parts, so welcome to OEM and ODM orders
- 3. Fast dispatch: Most of the products are in stock. Quality below 100pcs can be delivered within 15 days.
- 4.Small order accepted: Low MOQ accepted.50pcs are available.



+86 18561893286

522509400@qq.com

waycmoto.com

NO.356 Baiyun Motorcycle Parts Market, Zengcha Road, Baiyun District, Guangzhou